

WB700 Zero-Turn Walk-Behind Mower



The WB700 zero-turn mower has a powerful hydraulic drive that helps reduce operator fatigue as well as ground disturbance. A proven, high-performance Kawasaki engine ensures consistent results and smooth operation, while the mower's walk-behind construction offers increased stability in uneven terrain.

[Request a Quote](#)

[Schedule a Demo](#)

[Find a Dealer](#)

WB700 Specifications

Key Specifications	
WB700 - 52"	WB700 - 48"
Engine power	
13.8 kW	11.2 kW
Cutting Deck Width	
1320 mm	1219 mm
Ground Speed	
10.5 km/h	10.5 km/h
Drive Wheel Size	
20 x 8	20 x 8
Engine	
WB700 - 48"	WB700 - 52"
Model	
Kaw FS541V	Kaw FS600V
Engine power	
11.20 kW	13.80 kW
Displacement	
603.00 cm ³	603.00 cm ³
Fuel Capacity	
18.90 L	18.90 L
Air Filter	
Dual Element	Dual Element
Electrical	
WB700 - 48"	WB700 - 52"
Charging System	
15.00 A	15.00 A
Clutch	

467.00 N

467.00 N

Deck

WB700 - 48"

WB700 - 52"

Mower Deck

TufDeck Cutting System

TufDeck Cutting System

Width

1219.00 mm

1320.00 mm

Adjustable Anti-Scalp Rollers

3.0

3.0

Cutting Height

38.0-114.0 mm

38.0-114.0 mm

Blade Tip Speed

74.7 mps @ 3500 Engine rpm

82.8 mps @ 3500 Engine rpm

Discharge Chute

Flexible Molded Polymer

Flexible Molded Polymer

Frame

WB700 - 48"

WB700 - 52"

Front and Rear

1.5- x 2.5-inch Steel Tubing; Welded Steel Reinforced Frame

1.5- x 2.5-inch Steel Tubing; Welded Steel Reinforced Frame

Machine Length

1981.00 mm

1981.00 mm

Machine Weight

320.00 kg

327.00 kg

Transmission

WB700 - 48"

WB700 - 52"

Type

HG ZT-2800 Hydrostatic Transaxles

HG ZT-2800 Hydrostatic Transaxles

Pump Displacement

10.00 cm³10.00 cm³

Oil Capacity

4.40 L

4.40 L

Forward Speed

10.50 km/h

10.50 km/h

Reverse Speed

4.80 km/h

4.80 km/h

Wheels

WB700 - 48"

WB700 - 52"

Drive Wheel Size

20 x 8

20 x 8

Front Caster Wheel Size

11 x 6 Semi-pneumatic

11 x 6 Semi-pneumatic

Caster Arm Attachment

Welded to Frame

Welded to Frame

Dimensions

WB700 - 48"

WB700 - 52"

Height

1105.00 mm

Overall Length

1981.00 mm

1981.00 mm

Overall Width (Chute Up)

1227.00 mm

1328.00 mm

Overall Width (Chute Down)

1577.00 mm

1679.00 mm

Cutting Height

38 - 114 mm

38 - 114 mm

Wheelbase

1168.00 mm	1168.00 mm
Cutting Width	
1219.00 mm	1321.00 mm
Blade Length	
16.25 in	18.00 in
Height (ROP's Up)	
	1105.00 mm

WB700 Features

[Expand all](#)

Performance ⁴

Easy operation ¹

Built for your needs ¹

Serviceability ¹

Durability ¹

Similar Machines



ZT2000 Zero-Turn Mower

The Bobcat ZT2000 is an efficient zero-turn mower that offers unmatched durability and delivers a professional-quality cut.

[Learn More >](#)



ZT3000 Zero-Turn Mower

Ride-on, zero-turn mower with a powerful engine, large fuel capacity, and a robust steel-tubed frame.

[Learn More >](#)



ZT3500 Zero-Turn Mower

Ride-on, zero-turn mower with a powerful engine, large fuel capacity, and a robust steel-tubed frame.

[Learn More >](#)

